


Tubings made of silicone, smooth/clear

autoclavable up to 134°C, latex free

I.D. (mm)	x	C (mm)	O.D. (mm)	REF	Box
1.0	x	0.5	2	68-010-05	25m
1.0	x	1.0	3	68-010-10	25m
1.5	x	0.75	3	68-015-075	25m
2.0	x	1.0	4	68-020-10	25m
3.0	x	1.0	5	68-030-10	25m
3.0	x	1.5	6	68-030-15	25m
4.0	x	1.0	6	68-040-10	25m
4.0	x	1.5	7	68-040-15	25m
4.0	x	2.0	8	68-040-20	25m
5.0	x	1.0	7	68-050-10	25m
5.0	x	1.5	8	68-050-15	25m
5.0	x	2.0	9	68-050-20	25m
6.0	x	1.0	8	68-060-10	25m
6.0	x	1.5	9	68-060-15	25m
6.0	x	2.0	10	68-060-20	25m
6.0	x	3.0	12	68-060-30	25m
7.0	x	1.5	10	68-070-15	25m
7.0	x	2.0	11	68-070-20	25m
7.0	x	3.0	13	68-070-30	25m
8.0	x	2.0	12	68-080-20	25m
8.0	x	3.0	14	68-080-30	25m
9.0	x	2.0	13	68-090-20	25m
10.0	x	2.0	14	68-100-20	25m
10.0	x	3.0	16	68-100-30	25m
12.0	x	3.0	18	68-120-30	25m
12.0	x	4.0	20	68-120-40	25m
14.0	x	3.0	20	68-140-30	25m
15.0	x	3.0	21	68-150-30	25m
16.0	x	3.0	22	68-160-30	25m
18.0	x	3.0	24	68-180-30	25m
20.0	x	2.0	24	68-200-20	25m
20.0	x	3.0	26	68-200-30	25m
25.0	x	4.0	33	68-250-40	25m



Connection Pieces

for endobronchial double lumen tubes (Carlens Tubes), autoclavable up to 134°C

Connection Piece with 15mm I.D. to Y-Piece 15mm O.D.

	REF	Box
with tube clamps	60-80-100	5
without tube clamps	60-80-101	5



Connection Piece with two right angled swivel connectors to Y-Piece 15mm O.D.

	REF	Box
with tube clamps	60-80-200	5
without tube clamps	60-80-201	5



Double Lumen Tube Adapter

Standard,
autoclavable up to 134°C

REF **60-80-322** Box 10



with female Luer Lock
connection made of metal,
for single use

REF **60-80-522** Box 10



15mm Endo Adapter

autoclavable up to 134°C

Standard

Material: PSU

I.D.	REF	Box
2.0mm	44-2535-020	20
2.5mm	44-2535-025	20
3.0mm	44-2535-030	20
3.5mm	44-2535-035	20
4.0mm	44-2535-040	20
5.0mm	44-2535-050	20
6.0mm	44-2535-060	20
7.0mm	44-2535-070	20
8.0mm	44-2535-080	20
9.0mm	44-2535-090	20
10.0mm	44-2535-100	20



with wings

Material: PSU

I.D.	REF	Box
6.0mm	44-2555-060	20
7.0mm	44-2555-070	20
8.0mm	44-2555-080	20
9.0mm	44-2555-090	20
10.0mm	44-2555-100	20



with Luer Lock sideport for pressure and gas measuring, sterile

Material: PMP

I.D.	REF	Box
2.0mm	44-3500-020-1	20
2.5mm	44-3500-025-1	20
3.0mm	44-3500-030-1	20
3.5mm	44-3500-035-1	20
4.0mm	44-3500-040-1	20
5.0mm	44-3500-050-1	20
6.0mm	44-3500-060-1	20
7.0mm	44-3500-070-1	20
8.0mm	44-3500-080-1	20
9.0mm	44-3500-090-1	20
10.0mm	44-3500-100-1	20



Meconium Aspirator

for suctioning on Endotracheal Tubes or Suction Catheters

autoclavable up to 134°C

REF 49-10-000 Box 1



15 ID
+ connection for
suction catheter

for single use

REF 49-20-000 Box 10



15 ID



15 OD

Connection for
suction catheter

Straight Connectors

autoclavable up to 134°C, Material: PSU

	22 ID	9-11 OD	REF	Box		22 ID	11-13 OD	REF	Box
			60-30-002	10				60-40-002	10
	15 ID/ 22 OD	9-11 OD	60-30-003	10		15 ID/ 22 OD	11-13 OD	60-40-003	10
	15 OD	9-11 OD	60-30-005	10		15 OD	11-13 OD	60-40-005	10
	15 ID	9-11 OD	60-30-006	10		15 ID	11-13 OD	60-40-006	10
	22 ID	with female Luer Lock connection, Material: Aluminium				22 ID	for O ₂ tubings with 5-7mm ID Material: Aluminium		
	REF 60-70-002 Box 10					REF 60-71-002 Box 10			
	15 ID/ 22 OD	15 ID/ 22 OD	Standard	REF 60-12-110					
	Box 10								
	15 ID/ 22 OD	15 ID/ 22 OD	with female Luer Lock connection		REF 60-12-111				
	Box 10								
	15 ID/ 22 OD	15 ID/ 22 OD	with Luer connection (4mm OD)		REF 60-12-112				
	Box 10								
	15 ID/ 22 OD	22 ID	Standard	REF 60-12-200					
	Box 10								
	15 ID/ 22 OD	22 ID	with female Luer Lock connection		REF 60-12-201				
	Box 10								
	15 ID/ 22 OD	22 ID	with Luer connection (4mm OD)		REF 60-12-202				
	Box 10								
	15 ID/ 22 OD	22 ID	with connection for temperature measuring (7.6mm ID)		REF 60-12-203				
	Box 10								

Straight Connectors

autoclavable up to 134°C, Material: PSU

22 ID



22 ID

Standard

REF 60-12-300
Box 10

22 ID



22 ID

with female Luer Lock connection

REF 60-12-301
Box 10

22 ID



22 ID

with Luer connection
(4mm OD)

REF 60-12-302
Box 10

15 ID/
22 OD



15 ID/
22 OD

Standard

REF 60-12-400
Box 10

15 ID/
22 OD



15 ID/
22 OD

with female Luer Lock connection

REF 60-12-401
Box 10

15 ID/
22 OD



15 ID/
22 OD

with Luer connection
(4mm OD)

REF 60-12-402
Box 10

15 OD



22 ID

Standard

REF 60-50-002
Box 10

15 OD



22 ID

with female Luer Lock connection

REF 60-12-501
Box 10

15 OD



22 ID

with Luer connection
(4mm OD)

REF 60-12-502
Box 10

15 OD



15 ID/
22 OD

Standard

REF 60-50-003
Box 10

15 OD



15 ID/
22 OD

with female Luer Lock connection

REF 60-12-601
Box 10

15 OD



15 ID/
22 OD

with Luer connection
(4mm OD)

REF 60-12-602
Box 10



Straight Connectors

autoclavable up to 134°C, Material: PSU



15 OD

Standard

REF 60-50-005
Box 10



15 OD

15 OD

with female Luer Lock connection

REF 60-12-701
Box 10



15 OD

15 OD

with Luer connection
(4mm OD)

REF 60-12-702
Box 10

Straight Swivel Connectors

autoclavable up to 134°C



15 ID/
22 OD

15 OD

REF 60-60-003
Box 10



15 ID/
22 OD

8 OD

REF 60-70-004
Box 10



Adapter Set in a box

REF 60-90-001

consisting of:

- 10 pcs. Endo Adapter, REF 44-2535-020 - 44-2535-090
- 1 pc. Right Angled Swivel Connector, REF 60-60-005
- 7 pcs. Straight Connector REF:
60-30-003, 60-30-005, 60-40-003, 60-40-005,
60-50-002, 60-50-003, 60-50-005,



Adapter Set in a case

REF 60-91-001

consisting of:

- 11 pcs. Endo Adapter, REF 44-2535-020 - 44-2535-100
- 2 pcs. Right Angled Swivel Connector, REF 60-60-010, 60-65-004
- 11 pcs. Straight Connectors REF:
60-30-002, 60-30-003, 60-30-005,
60-40-002, 60-40-003, 60-40-005,
60-50-002, 60-50-003, 60-50-005,
60-12-110, 60-12-200
- 1 pc. Right Angled Connector 90°, REF 60-12-000
- 1 pc. Uncoupling Wedge, REF 60-60-999


Connectors

for single use, Material: PC

	REF	Box
22 ID  15 OD	60-50-222	10
15 ID/ 22 OD 	60-50-333	10
15 OD 	60-50-555	10
15 ID/ 22 OD  15 OD	60-60-333-1 sterile	10

Right Angled Swivel Connectors

for single use, sterile, Material: PC

 15 OD	„Single Swivel“, closed	
15 ID/ 22 OD 	REF 60-60-222-1	Box 10
15 ID/ 22 OD 	„Single Swivel“ with 5mm Bronchoscope/Suction Cap	REF 60-60-555-1 Box 10
15 ID/ 22 OD 	„Double Swivel“ with 5mm Bronchoscope/Suction Cap	REF 60-60-111-1 Box 10

Catheter Mount Tubings

for single use, sterile (only length: 15cm)

with straight connector

	Length: 15cm		Length: 30cm	Length: 45cm	
15 ID/ 22 OD 	REF	Box	REF	REF	Box
	60-50-150-1	25	60-50-300	60-50-450	10
15 ID/ 22 OD 	60-55-150-1	25	60-55-300	60-55-450	10

with straight swivel connector

	Length: 15cm		Length: 30cm	Length: 45cm	
15 ID/ 22 OD 	REF	Box	REF	REF	Box
	60-52-150-1	25	60-52-300	60-52-450	10
15 ID/ 22 OD 	60-57-150-1	25	60-57-300	60-57-450	10


with right angled swivel connector

	Length: 15cm		Length: 30cm	Length: 45cm	
15 ID/ 22 OD 	REF	Box	REF	REF	Box
	60-60-150-1	25	60-60-300	60-60-450	10
15 ID/ 22 OD 	60-80-150-1	25	60-80-300	60-80-450	10

with right angled swivel connector with 5mm bronchoscope/suction cap


	Length: 15cm		Length: 30cm	Length: 45cm	
15 ID/ 22 OD 	REF	Box	REF	REF	Box
	60-65-150-1	25	60-65-300	60-65-450	10
15 ID/ 22 OD 	60-85-150-1	25	60-85-300	60-85-450	10

with right angled double swivel connector with 5mm bronchoscope/suction cap

	Length: 15cm		Length: 30cm	Length: 45cm	
15 ID/ 22 OD 	REF	Box	REF	REF	Box
	60-68-150-1	25	60-68-300	60-68-450	10
15 ID/ 22 OD 	60-88-150-1	25	60-88-300	60-88-450	10


Right Angled Swivel Connectors

autoclavable up to 134°C, Material: PSU



Right Angled Connectors

non swivelling, autoclavable up to 134°C, Material: PSU



Right Angled Connector 90°

autoclavable up to 134°C, Material: PSU



ditto, but made of polycarbonate,
autoclavable up to 121°C

REF 60-13-000
Box 10



ditto, but made of polycarbonate, autoclavable up to 121°C

REF 60-13-001
Box 10



Uncoupling Wedge

autoclavable up to 134°C


REF 60-60-999 Box 10



T-Connectors

autoclavable up to 134°C, Material: PSU

Standard




A	B	C	REF	Box
15 ID / 22 OD	15 ID / 22 OD	15 ID / 22 OD	60-11-500	10
22 ID	22 ID	15 ID / 22 OD	60-11-502	10
22 ID	15 ID / 22 OD	15 ID / 22 OD	60-11-503	10
15 ID / 22 OD	15 ID / 22 OD	22 ID	60-11-504	10
22 ID	22 ID	22 ID	60-11-505	10
22 ID	15 ID / 22 OD	22 ID	60-11-506	10

with 5mm Bronchoscope/Suction Cap, clear



A	B	C	REF	Box
15 ID / 22 OD	15 ID / 22 OD	15 ID / 22 OD	60-11-510	10
22 ID	22 ID	15 ID / 22 OD	60-11-512	10
22 ID	15 ID / 22 OD	15 ID / 22 OD	60-11-513	10
15 ID / 22 OD	15 ID / 22 OD	22 ID	60-11-514	10
22 ID	22 ID	22 ID	60-11-515	10
22 ID	15 ID / 22 OD	22 ID	60-11-516	10

with female Luer Lock made of metal



A	B	C	REF	Box
15 ID / 22 OD	15 ID / 22 OD	15 ID / 22 OD	60-11-520	10
22 ID	22 ID	15 ID / 22 OD	60-11-522	10
22 ID	15 ID / 22 OD	15 ID / 22 OD	60-11-523	10
15 ID / 22 OD	15 ID / 22 OD	22 ID	60-11-524	10
22 ID	22 ID	22 ID	60-11-525	10
22 ID	15 ID / 22 OD	22 ID	60-11-526	10

Straight Connectors with One-Way-Valve

autoclavable up to 134°C, Material: PSU
flow direction see arrow




Right Angled Y-Connectors

autoclavable up to 134°C, Material: PSU

Standard
REF 60-11-300 Box 10



with Luer tube connection (4mm OD)
REF 60-11-301 Box 10



with female Luer Lock made of metal
REF 60-11-302 Box 10



Connecting Tubing 1.5mm I.D./3.0mm O.D. for CO₂ and pressure measuring


in 3-layer technology from PVC/EVA/PE, with two male Luer Lock

Length	REF	Box
150cm	61-99-150	10
200cm	61-99-200	10
300cm	61-99-300	10



from Polyurethane (PUR), with one male and one female Luer Lock

Length	REF	Box
200cm	61-95-200	10
300cm	61-95-300	10



Straight Y-Connectors

autoclavable up to 134°C, Material: PSU

Standard **REF 60-10-100** Box 10



with female Luer Lock made of metal

REF 60-10-101 Box 10



Straight Y-Connectors

autoclavable up to 134°C, Material: PSU

Standard **REF 60-11-200** Box 10



with connection for pressure measuring (6mm ID)

REF 60-11-202 Box 10



with connection for temperature probes (7.6mm ID)

REF 60-11-203 Box 10



with connection for pressure measuring (6mm ID)
and temperature probes (7.6mm ID)

REF 60-11-204 Box 10



Plug made of silicone

for Y-Connectors REF 60-11-202, ...-203, ...-204

REF 60-11-999 Box 1



Right Angled Y-Connectors with adjustable connections

autoclavable up to 134°C, Material: PSU

Standard REF 60-11-400 Box 10



with female Luer Lock
REF 60-11-401 Box 10



with connection for temperature
probes (7.6mm ID)
REF 60-11-402 Box 10



with female Luer Lock and connection for
temperature probes (7.6mm ID)
REF 60-11-403 Box 10



with 5mm Bronchoscope/Suction Cap, clear
REF 60-11-410 Box 10



with female Luer Lock
REF 60-11-411 Box 10



with connection for temperature
probes (7.6mm ID)
REF 60-11-412 Box 10



with female Luer Lock and connection for
temperature probes (7.6mm ID)
REF 60-11-413 Box 10



with female Luer Lock made of metal
REF 60-11-420 Box 10



with connection for temperature probes
(7.6mm ID)
REF 60-11-422 Box 10



Luer Lock Connection
right angled, made of Nylon,
autoclavable up to 134°C

REF 60-11-888 Box 10



5mm Bronchoscope/Suction Cap,
clear

REF 60-60-115 Box 10

